

Proposed Modifications to China 301 Actions

Below is the full list of HTS due to increase in 2024

HTSUS Subheading	Product Description	Rate	Timing
<u>2602.00.00</u>	<u>Manganese ores and concentrates including ferruginous manganese ores & concentrates with manganese content over 20% calculated on dry weight</u>	<u>25%</u>	<u>2024</u>
<u>2605.00.00</u>	<u>Cobalt ores and concentrates</u>	<u>25%</u>	<u>2024</u>
<u>2606.00.00</u>	<u>Aluminum ores and concentrates</u>	<u>25%</u>	<u>2024</u>
<u>2608.00.00</u>	<u>Zinc ores and concentrates</u>	<u>25%</u>	<u>2024</u>
<u>2610.00.00</u>	<u>Chromium ores and concentrates</u>	<u>25%</u>	<u>2024</u>
<u>2611.00.60</u>	<u>Tungsten concentrates</u>	<u>25%</u>	<u>2024</u>
<u>2825.90.30</u>	<u>Tungsten oxides</u>	<u>25%</u>	<u>2024</u>
<u>2841.80.00</u>	<u>Tungstates (wolframates)</u>	<u>25%</u>	<u>2024</u>
<u>2844.41.00</u>	<u>Tritium and its compounds, alloys, dispersions, ceramic products and mixtures thereof</u>	<u>25%</u>	<u>2024</u>
<u>2844.42.00</u>	<u>Actinium, californium, curium, einsteinium, gadolinium, polonium, radium, uranium & their compounds, alloys, dispersions, ceramic products & mixtures</u>	<u>25%</u>	<u>2024</u>
<u>2844.43.00</u>	<u>Other radioactive elements, isotopes, compounds, nesoi; alloys, dispersions, ceramic products and mixtures thereof</u>	<u>25%</u>	<u>2024</u>
<u>2844.44.00</u>	<u>Radioactive residues</u>	<u>25%</u>	<u>2024</u>
<u>2849.90.30</u>	<u>Tungsten carbide</u>	<u>25%</u>	<u>2024</u>
<u>6307.90.9845</u>	<u>N95 Respirators of Textiles</u>	<u>25%</u>	<u>2024</u>
<u>6307.90.9850</u>	<u>Respirators of Textiles, Other than N95</u>	<u>25%</u>	<u>2024</u>
<u>6307.90.9875</u>	<u>Face Masks of Textiles, Other than Disposable</u>	<u>25%</u>	<u>2024</u>
<u>7202.60.00</u>	<u>Ferronickel</u>	<u>25%</u>	<u>2024</u>

<u>7202.93.40</u>	<u>Ferroniobium containing by weight less than 0.02 percent of phosphorus or sulfur or less than 0.4 percent of silicon</u>	<u>25%</u>	<u>2024</u>
<u>7202.93.80</u>	<u>Ferroniobium, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7206.10.00</u>	<u>Iron and nonalloy steel ingots</u>	<u>25%</u>	<u>2024</u>
<u>7206.90.00</u>	<u>Iron and nonalloy steel in primary forms (o/than ingots)</u>	<u>25%</u>	<u>2024</u>
<u>7207.11.00</u>	<u>Iron or nonalloy steel semifinished products, w/less than 0.25% carbon, w/rect. cross sect.(incl. sq.), w/width less than twice thickness</u>	<u>25%</u>	<u>2024</u>
<u>7207.12.00</u>	<u>Iron or nonalloy steel semifinished products, w/less than 0.25% carbon, w/rect. cross sect. (exclud. sq.), nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7207.19.00</u>	<u>Iron or nonalloy steel semifinished products, w/less than 0.25% carbon, o/than w/rect. cross section</u>	<u>25%</u>	<u>2024</u>
<u>7207.20.00</u>	<u>Iron or nonalloy steel semifinished products, w/0.25% or more of carbon</u>	<u>25%</u>	<u>2024</u>
<u>7208.10.15</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, w/patterns in relief, in coils, pickled, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.10.30</u>	<u>Iron/nonalloy steel, width 600mm+,hot-rolled flat-rolled product, in coil,w/pattern in relief, w/thick 4.75mm+,not pickld,not clad/plated/coatd</u>	<u>25%</u>	<u>2024</u>
<u>7208.10.60</u>	<u>Iron/nonalloy steel,width 600mm+,hot-rolled flat-rolled product,in coil,w/pattern in relief,w/thick <4.75mm,not pickld,not clad/plated/coatd</u>	<u>25%</u>	<u>2024</u>
<u>7208.25.30</u>	<u>Nonalloy hi-strength steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick 4.75mm+, pickled, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>

<u>7208.25.60</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick 4.7mm or more, pickled, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.26.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick 3mm or mor but less 4.75mm, pickled, not clad/plated</u>	<u>25%</u>	<u>2024</u>
<u>7208.27.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick less than 3mm, pickled, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.36.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick o/10mm, not pickled/clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.37.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick 4.75mm or more & n/o 10mm, not pickled/clad/plated</u>	<u>25%</u>	<u>2024</u>
<u>7208.38.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick 3mm or more & less 4.75mm, not pickld/clad/plated</u>	<u>25%</u>	<u>2024</u>
<u>7208.39.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick less than 3mm, not pickled/clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.40.30</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, w/pattern in relief, not coils, w/thick 4.75 or more, n/clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.40.60</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, w/pattern in relief, not coils, w/thick < 4.75mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>

<u>7208.51.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, nesoi, not in coils, w/thick o/10mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.52.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, neosi, not in coils, w/thick 4.75mm+ but n/o 10mm, not clad/plated/</u>	<u>25%</u>	<u>2024</u>
<u>7208.53.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, neosi, not in coils, w/thick 3mm+ but < 4.75mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.54.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, neosi, not in coils, w/thick less than 3mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7208.90.00</u>	<u>Iron/nonalloy steel, width 600mm+, hot-rolled flat-rolled products, nesoi, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.15.00</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, in coils, w/thick 3mm+, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.16.00</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, in coils, w/thick o/1mm but less than 3mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.17.00</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, in coils, w/thick 0.5mm or more but n/o 1mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.18.15</u>	<u>Nonalloy hi-strength steel, width 600mm+, cold-rolled flat-rolled products, in coils, w/thick less than 0.5mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>

<u>7209.18.25</u>	<u>Nonalloy steel(blackplate), width 600mm+, cold-rolled flat-rolled products, in coils, w/thick less than 0.361mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.18.60</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, in coils, w/thick 0.361mm+ but less 5mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.25.00</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, not in coils, w/thick 3mm or more, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.26.00</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, not in coils, w/thick o/1mm but less than 3mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.27.00</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, not in coils, w/thick 0.5mm+ but n/o 1mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.28.00</u>	<u>Iron/nonalloy steel, width 600mm+, cold-rolled flat-rolled products, not in coils, w/thick less than 0.5mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7209.90.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products further worked than cold-rolled, not clad/plated/coated, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7210.11.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with tin, w/thick. 0.5 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7210.12.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with tin, less than 0.5 mm thick</u>	<u>25%</u>	<u>2024</u>
<u>7210.20.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with lead, including terneplate</u>	<u>25%</u>	<u>2024</u>

<u>7210.30.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, electrolytically plated or coated with zinc</u>	<u>25%</u>	<u>2024</u>
<u>7210.41.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with zinc (other than electrolytically), corrugated</u>	<u>25%</u>	<u>2024</u>
<u>7210.49.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with zinc (other than electrolytically), not corrugated</u>	<u>25%</u>	<u>2024</u>
<u>7210.50.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with chromium oxides or with chromium and chromium oxides</u>	<u>25%</u>	<u>2024</u>
<u>7210.61.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with aluminum-zinc alloys</u>	<u>25%</u>	<u>2024</u>
<u>7210.69.00</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated with aluminum o/than aluminum-zinc alloy</u>	<u>25%</u>	<u>2024</u>
<u>7210.70.30</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, painted/varnished or coated w/plastic but not plated/coated or clad w/metal</u>	<u>25%</u>	<u>2024</u>
<u>7210.70.60</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, painted/varnished or coated w/plastic, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7210.90.10</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, clad</u>	<u>25%</u>	<u>2024</u>
<u>7210.90.60</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, electrolytically coated or plated with base metal, nesoi</u>	<u>25%</u>	<u>2024</u>

<u>7210.90.90</u>	<u>Iron/nonalloy steel, width 600mm+, flat-rolled products, plated or coated, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7211.13.00</u>	<u>Iron/nonalloy steel, width less th/600mm, hot-rolled flat-rolled universal mill plate, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.14.00</u>	<u>Iron/nonalloy steel, width less th/600mm, hot-rolled flat-rolled products, nesoi, w/thick of 4.75mm or more, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.19.15</u>	<u>Nonalloy hi-strength steel, width less th/300mm, hot-rolled flat-rolled products, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.19.20</u>	<u>Iron/nonalloy steel, neosi, width less th/300mm, hot-rolled flat-rolled products, w/thick o/1.25 mm but n/o 4.75 mm, n/clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.19.30</u>	<u>Iron/nonalloy steel, neosi, width less th/300mm, hot-rolled flat-rolled products, w/thick 1.25mm or less, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.19.45</u>	<u>Nonalloy hi-strength steel, width 300mm+ but less th/600mm, hot-rolled flat-rolled products, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.19.60</u>	<u>Iron/nonalloy steel, neosi, width 300mm+ but less th/600mm, hot-rolled flat-rolled products, pickled, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.19.75</u>	<u>Iron/nonalloy steel, neosi, width 300mm+ but less th/600mm, hot-rolled flat-rolled products, not pickled, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>

<u>7211.23.15</u>	<u>Nonalloy hi-strength steel, width less th/300mm, cold-rolled flat-rolled, <0.25% carbon, w/thick o/1.25mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.23.20</u>	<u>Iron/nonalloy steel, nesoi, width less th/300mm, cold-rolled flat-rolled, <0.25% carbon, w/thick o/1.25mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.23.30</u>	<u>Iron/nonalloy steel, nesoi, width less th/300mm, cold-rolled flat-rolled, <0.25% carbon, w/thick o/0.25mm n/o 1.25mm, not clad/plated</u>	<u>25%</u>	<u>2024</u>
<u>7211.23.45</u>	<u>Iron/nonalloy steel, nesoi, width less th/300mm, cold-rolled flat-rolled, <0.25% carbon, w/thick n/o 0.25mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.23.60</u>	<u>Iron/nonalloy steel, nesoi, width 300mm+ but less th/600mm, cold-rolled flat-rolled, <0.25% carbon, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.29.20</u>	<u>Iron/nonalloy steel, width less th/300mm, cold-rolled flat-rolled, w/0.25% or more carbon, w/thick o/0.25mm, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.29.45</u>	<u>Iron/nonalloy steel, width less th/300mm, cold-rolled flat-rolled, w/0.25% or more carbon, w/thick 0.25mm or less, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.29.60</u>	<u>Iron/nonalloy steel, width 300mm+ but less th/600mm, cold-rolled flat-rolled, w/0.25% or more carbon, not clad/plated/coated</u>	<u>25%</u>	<u>2024</u>
<u>7211.90.00</u>	<u>Iron/nonalloy steel, width less th/600mm, flat-rolled further worked than cold-rolled, not clad, plated or coated</u>	<u>25%</u>	<u>2024</u>

<u>7212.10.00</u>	<u>Iron/nonalloy steel, width less th/600mm, flat-rolled products, plated or coated with tin</u>	<u>25%</u>	<u>2024</u>
<u>7212.20.00</u>	<u>Iron/nonalloy steel, width less th/600mm, flat-rolled products, electrolytically plated or coated with zinc</u>	<u>25%</u>	<u>2024</u>
<u>7212.30.10</u>	<u>Iron/nonalloy steel, width less th/300mm, flat-rolled products, plated/coated with zinc (other than electrolytically), w/thick o/0.25mm</u>	<u>25%</u>	<u>2024</u>
<u>7212.30.30</u>	<u>Iron/nonalloy steel, width less th/300mm, flat-rolled products, plated/coated w/zinc (other than electrolytically), w/thick 0.25mm or less</u>	<u>25%</u>	<u>2024</u>
<u>7212.30.50</u>	<u>Iron/nonalloy steel, width 300+ but less th/600mm, flat-rolled products, plated or coated with zinc (other than electrolytically)</u>	<u>25%</u>	<u>2024</u>
<u>7212.40.10</u>	<u>Iron/nonalloy steel, width less th/300mm, flat-rolled products, painted, varnished or coated w/plastic</u>	<u>25%</u>	<u>2024</u>
<u>7212.40.50</u>	<u>Iron/nonalloy steel, width 300+ but less th/600mm, flat-rolled products, painted, varnished or coated w/plastic</u>	<u>25%</u>	<u>2024</u>
<u>7212.50.00</u>	<u>Iron/nonalloy steel, width less th/600mm, flat-rolled products, plated or coated nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7212.60.00</u>	<u>Iron/nonalloy steel, width less th/600mm, flat-rolled products, clad</u>	<u>25%</u>	<u>2024</u>
<u>7213.10.00</u>	<u>Iron/nonalloy, concrete reinforcing bars and rods in irregularly wound coils, hot-rolled</u>	<u>25%</u>	<u>2024</u>
<u>7213.20.00</u>	<u>Free-cutting steel, bars and rods in irregularly wound coils, hot-rolled</u>	<u>25%</u>	<u>2024</u>

<u>7213.91.30</u>	<u>Iron/nonalloy steel, nesoi, hot-rolled bars & rods in irregularly wound coils, w/cir. x-sect. diam. <14mm, n/tempered/treated/partly mfd</u>	<u>25%</u>	<u>2024</u>
<u>7213.91.45</u>	<u>Iron/nonalloy steel, nesoi, hot-rolled bars & rods in irregularly wound coils, w/cir. x-sect. diam. <14mm, w/0.6%+ of carbon, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7213.91.60</u>	<u>Iron/nonalloy steel, nesoi, hot-rolled bars & rods in irregularly wound coils, w/cir. x-sect. diam. <14mm, w/less th/0.6% carbon, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7213.99.00</u>	<u>Iron/nonalloy steel, nesoi, hot-rolled bars & rods, w/cir. x-sect. diam 14+mm or non-circ. xsect., in irregularly wound coils, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7214.20.00</u>	<u>Iron/nonalloy steel, concrete reinforcing bars and rods, not further worked than hot-rolled, hot-drawn or hot-extruded, n/coils</u>	<u>25%</u>	<u>2024</u>
<u>7214.30.00</u>	<u>Free-cutting steel, bars and rods, not further worked than hot-rolled, hot-drawn or hot-extruded, n/coils, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7214.91.00</u>	<u>Iron/nonalloy steel, bars and rods, not further worked than hot-rolled, hot-drawn or hot-extruded, w/rectangular (o/than square) Xsection</u>	<u>25%</u>	<u>2024</u>
<u>7214.99.00</u>	<u>Iron/nonalloy steel, bars and rods, not further worked than hot-rolled, hot-drawn or hot-extruded, w/non-rectangular X-sect, not in coils</u>	<u>25%</u>	<u>2024</u>
<u>7215.10.00</u>	<u>Free-cutting steel, bars and rods, not further worked than cold-formed or cold-finished, not in coils</u>	<u>25%</u>	<u>2024</u>

<u>7215.50.00</u>	<u>Iron/nonalloy steel nesoi, bars and rods, not further wkd. than cold-formed or cold-finished, not in coils</u>	<u>25%</u>	<u>2024</u>
<u>7215.90.10</u>	<u>Iron/nonalloy steel, bars and rods, not cold-formed, plated or coated with metal</u>	<u>25%</u>	<u>2024</u>
<u>7215.90.30</u>	<u>Iron/nonalloy steel, bars and rods, cold-formed, plated or coated with metal</u>	<u>25%</u>	<u>2024</u>
<u>7215.90.50</u>	<u>Iron/nonalloy steel, bars and rods, further worked than cold-formed or cold-finished, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7216.10.00</u>	<u>Iron/nonalloy steel, U,I or H-sections, not further worked than hot-rolled, hot-drawn or extruded, w/height under 80 mm</u>	<u>25%</u>	<u>2024</u>
<u>7216.21.00</u>	<u>Iron/nonalloy steel, L-sections, not further worked than hot-rolled, hot-drawn or extruded, w/height under 80 mm</u>	<u>25%</u>	<u>2024</u>
<u>7216.22.00</u>	<u>Iron/nonalloy steel, T-sections, not further worked than hot-rolled, hot-drawn or extruded, w/height under 80 mm</u>	<u>25%</u>	<u>2024</u>
<u>7216.31.00</u>	<u>Iron/nonalloy steel, U-sections, not further worked than hot-rolled, hot-drawn or extruded, w/height of 80 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7216.32.00</u>	<u>Iron/nonalloy steel, I-sections (standard beams), not further worked than hot-rolled, hot-drawn or extruded, w/height 80 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7216.33.00</u>	<u>Iron/nonalloy steel, H-sections, not further worked than hot-rolled, hot-drawn or extruded, w/height 80 mm or more</u>	<u>25%</u>	<u>2024</u>

<u>7216.40.00</u>	<u>Iron/nonalloy steel, L or T-sections, not further worked than hot-rolled, hot-drawn or extruded, w/height 80 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7216.50.00</u>	<u>Iron/nonalloy steel, angles, shapes & sections nesoi, not further worked than hot-rolled, hot-drawn or extruded</u>	<u>25%</u>	<u>2024</u>
<u>7216.99.00</u>	<u>Iron/nonalloy steel, angles, shapes & sections nesoi, further wkd. than cold-formed or cold-finished and not from flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.10</u>	<u>Iron/nonalloy steel, flat wire, <0.25% carbon, not plated or coated, w/thick n/o 0.25 mm</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.20</u>	<u>Iron/nonalloy steel, flat wire, <0.25% carbon, not plated or coated, w/thick o/0.25mm but n/o 1.25 mm</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.30</u>	<u>Iron/nonalloy steel, flat wire, <0.25% carbon, not plated or coated, w/thick o/1.25 mm</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.50</u>	<u>Iron/nonalloy steel, round wire, <0.25% carbon, not plated or coated, w/diameter of 1.5 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.60</u>	<u>Iron/nonalloy steel, wire (other than flat or round), <0.25% carbon, not plated or coated</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.70</u>	<u>Iron/nonalloy steel, flat wire, w/0.25% or more carbon, not plated or coated</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.80</u>	<u>Iron/nonalloy steel, round wire, w/0.25% or more carbon, not plated or coated</u>	<u>25%</u>	<u>2024</u>
<u>7217.10.90</u>	<u>Iron/nonalloy steel, wire (other than flat or round), w/0.25% or more of carbon, not plated or coated</u>	<u>25%</u>	<u>2024</u>
<u>7217.20.15</u>	<u>Iron/nonalloy steel, flat wire, plated or coated with zinc</u>	<u>25%</u>	<u>2024</u>

<u>7217.20.30</u>	<u>Iron/nonalloy steel, round wire, <0.25% carbon, plated or coated with zinc, w/diameter of 1.5 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7217.20.45</u>	<u>Iron/nonalloy steel, round wire, w/0.25% or more carbon and/or <1.5mm diam, plated or coated with zinc</u>	<u>25%</u>	<u>2024</u>
<u>7217.20.60</u>	<u>Iron/nonalloy steel, wire (other than flat or round), <0.25% carbon, plated or coated with zinc</u>	<u>25%</u>	<u>2024</u>
<u>7217.20.75</u>	<u>Iron/nonalloy steel, wire (other than flat or round), w/0.25% or more of carbon, plated or coated with zinc</u>	<u>25%</u>	<u>2024</u>
<u>7217.30.15</u>	<u>Iron/nonalloy steel, flat wire, plated or coated with base metal other than zinc</u>	<u>25%</u>	<u>2024</u>
<u>7217.30.30</u>	<u>Iron/nonalloy steel, round wire, <0.25% carbon, plated or coated with base metal other than zinc, w/diam. of 1.5 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7217.30.60</u>	<u>Iron/nonalloy steel, wire (other than flat or round), <0.25% carbon, plated or coated with base metal other than zinc</u>	<u>25%</u>	<u>2024</u>
<u>7217.30.75</u>	<u>Iron/nonalloy steel, wire (other than flat or round), w/0.25% or more of carbon, plated or coated with base metal other than zinc</u>	<u>25%</u>	<u>2024</u>
<u>7217.90.10</u>	<u>Iron/nonalloy steel, wire, coated with plastics</u>	<u>25%</u>	<u>2024</u>
<u>7217.90.50</u>	<u>Iron/nonalloy steel, wire, plated or coated with materials other than base metals or plastics</u>	<u>25%</u>	<u>2024</u>
<u>7218.10.00</u>	<u>Stainless steel, ingots and other primary forms</u>	<u>25%</u>	<u>2024</u>
<u>7218.91.00</u>	<u>Stainless steel, semifinished products of rectangular (other than square) cross-section</u>	<u>25%</u>	<u>2024</u>

<u>7218.99.00</u>	<u>Stainless steel, semifinished products, other than of rectangular (other than square) cross-section</u>	<u>25%</u>	<u>2024</u>
<u>7219.11.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thickness o/10 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.12.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick. 4.75 mm or more but n/o 10 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.13.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick. 3 mm or more but less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.14.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thickness less than 3 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.21.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, not in coils, w/thickness o/10 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.22.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, not in coils, w/thick. 4.75 mm or more but n/o 10 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.23.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, not in coils, w/thick. 3 mm or more but less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.24.00</u>	<u>Stainless steel, width 600mm+, hot-rolled flat-rolled products, not in coils, w/thickness less than 3 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.31.00</u>	<u>Stainless steel, width 600mm+, cold-rolled flat-rolled products, w/thickness of 4.75 mm or more</u>	<u>25%</u>	<u>2024</u>

<u>7219.32.00</u>	<u>Stainless steel, width 600mm+, cold-rolled flat-rolled products, w/thickness of 3 mm or more but less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.33.00</u>	<u>Stainless steel, width 600mm+, cold-rolled flat-rolled products, w/thickness o/1 mm but less than 3 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.34.00</u>	<u>Stainless steel, width 600mm+, cold-rolled flat-rolled products, w/thickness of 0.5 mm or more but n/o 1 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.35.00</u>	<u>Stainless steel, width 600mm+, cold-rolled flat-rolled products, w/thickness of less than 0.5 mm</u>	<u>25%</u>	<u>2024</u>
<u>7219.90.00</u>	<u>Stainless steel, width 600mm+, flat-rolled products, nesoi, further worked than cold-rolled</u>	<u>25%</u>	<u>2024</u>
<u>7220.12.10</u>	<u>Stainless steel, width 300m+ but less th/600mm, hot-rolled flat-rolled products, w/thickness of less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7220.12.50</u>	<u>Stainless steel, width less th/300mm, hot-rolled flat-rolled products, w/thickness of less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7220.20.10</u>	<u>Stainless steel, width 300+ but less th/600mm, cold-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7220.20.60</u>	<u>Stainless steel, width less th/300mm, cold-rolled flat-rolled products, w/thickness o/1.25 mm</u>	<u>25%</u>	<u>2024</u>
<u>7220.20.70</u>	<u>Stainless steel, width less th/300mm, cold-rolled flat-rolled products, w/ thickness of 0.25 mm but n/o 1.25 mm</u>	<u>25%</u>	<u>2024</u>
<u>7220.20.80</u>	<u>Stainless razor blade steel, width less th/300mm, cold-rolled flat-rolled, w/thickness n/o 0.25 mm</u>	<u>25%</u>	<u>2024</u>

<u>7220.90.00</u>	<u>Stainless steel, width less than 600mm, flat-rolled products further worked than cold-rolled</u>	<u>25%</u>	<u>2024</u>
<u>7221.00.00</u>	<u>Stainless steel, bars and rods in irregularly wound coils, hot-rolled</u>	<u>25%</u>	<u>2024</u>
<u>7222.11.00</u>	<u>Stainless steel, bars and rods, hot-rolled, hot-drawn or extruded, of circular cross-section</u>	<u>25%</u>	<u>2024</u>
<u>7222.19.00</u>	<u>Stainless steel, bars and rods, hot-rolled, hot-drawn or extruded, other than of circular cross-section</u>	<u>25%</u>	<u>2024</u>
<u>7222.20.00</u>	<u>Stainless steel, bars and rods, not further worked than cold-formed or cold-finished, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7222.30.00</u>	<u>Stainless steel, bars and rods, further worked than cold-formed or cold-finished, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7222.40.30</u>	<u>Stainless steel, angles, shapes & sections, hot-rolled, not drilled/punched or otherwise advanced</u>	<u>25%</u>	<u>2024</u>
<u>7222.40.60</u>	<u>Stainless steel, angles, shapes & sections, other than hot-rolled and not drilled/punched or otherwise advanced</u>	<u>25%</u>	<u>2024</u>
<u>7223.00.10</u>	<u>Stainless steel, round wire</u>	<u>25%</u>	<u>2024</u>
<u>7223.00.50</u>	<u>Stainless steel, flat wire</u>	<u>25%</u>	<u>2024</u>
<u>7223.00.90</u>	<u>Stainless steel, wire (other than round or flat wire)</u>	<u>25%</u>	<u>2024</u>
<u>7224.10.00</u>	<u>Alloy (o/than stainless) steel, ingots and other primary forms</u>	<u>25%</u>	<u>2024</u>
<u>7224.90.00</u>	<u>Alloy (o/than stainless) steel, semifinished products</u>	<u>25%</u>	<u>2024</u>
<u>7225.11.00</u>	<u>Alloy silicon electrical steel (grain-oriented), width 600mm+, flat-rolled products</u>	<u>25%</u>	<u>2024</u>

<u>7225.19.00</u>	<u>Alloy silicon electrical steel (other than grain-oriented), width 600mm+, flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7225.30.11</u>	<u>Alloy tool steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick. of 4.75 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7225.30.30</u>	<u>Alloy (o/th stainless, silicon elect., hi-speed, or tool) steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick 4.75mm+</u>	<u>25%</u>	<u>2024</u>
<u>7225.30.51</u>	<u>Alloy tool steel, width 600mm+, hot-rolled flat-rolled products, in coils, w/thick. of less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7225.30.70</u>	<u>Alloy (o/th stainless, silicon elect., hi-speed, or tool) steel, width 600mm+, hot-rolled flat-rolled prod., in coils, w/thick less 4.75mm</u>	<u>25%</u>	<u>2024</u>
<u>7225.40.11</u>	<u>Alloy tool steel, width 600mm+, hot-rolled flat-rolled products, n/coils, w/thick. of 4.75 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7225.40.30</u>	<u>Alloy (o/th stainless, silicon elect., hi-speed, or tool) steel, width 600mm+, hot-rolled flat-rolled products, n/coils, w/thick 4.75mm+</u>	<u>25%</u>	<u>2024</u>
<u>7225.40.51</u>	<u>Alloy tool steel, width 600mm+, hot-rolled flat-rolled products, n/coils, w/thick. of less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7225.40.70</u>	<u>Alloy (o/th stainless, silicon elect., hi-speed, or tool) steel, width 600mm+, hot-rolled flat-rolled prod., n/coils, w/thick less 4.75mm</u>	<u>25%</u>	<u>2024</u>
<u>7225.50.11</u>	<u>Alloy tool steel, width 600mm+, cold-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7225.50.60</u>	<u>Alloy steel (o/ than tool), width 600mm+, cold-rolled flat-rolled products, w/thickness 4.75 mm or more</u>	<u>25%</u>	<u>2024</u>

<u>7225.50.70</u>	<u>Alloy heat-resisting steel, width 600mm+, cold-rolled flat-rolled products, w/thickness less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7225.50.80</u>	<u>Alloy steel (o/th heat-resisting), width 600mm+, cold-rolled flat-rolled products, w/thickness less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7225.91.00</u>	<u>Alloy steel, width 600mm+, flat-rolled products further worked than cold-rolled, electrolytically plated or coated with zinc</u>	<u>25%</u>	<u>2024</u>
<u>7225.92.00</u>	<u>Alloy steel, width 600mm+, flat-rolled products further worked than cold-rolled, plated or coated with zinc (o/than electrolytically)</u>	<u>25%</u>	<u>2024</u>
<u>7225.99.00</u>	<u>Alloy steel, width 600mm+, flat-rolled products further worked than cold-rolled, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7226.11.10</u>	<u>Alloy silicon electrical steel (grain-oriented), width 300mm+ but less th/600mm, flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.11.90</u>	<u>Alloy silicon electrical steel (grain-oriented), width less th/300mm, flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.19.10</u>	<u>Alloy silicon electrical steel (o/than grain-oriented), width 300mm+ but less th/600mm, flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.19.90</u>	<u>Alloy silicon electrical steel (o/than grain-oriented), width less th/300mm, flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.20.00</u>	<u>Alloy high-speed steel, width less th/600mm, flat-rolled products of high-speed steel</u>	<u>25%</u>	<u>2024</u>
<u>7226.91.05</u>	<u>Alloy chipper knife tool steel (o/than hi-speed), width less th/600mm, hot-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>

<u>7226.91.15</u>	<u>Alloy tool steel (o/than hi-speed/chipper knife), width 300mm+ but less th/600mm, hot-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.91.25</u>	<u>Alloy tool steel (o/than hi-speed/chipper knife), width less th/300mm, hot-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.91.50</u>	<u>Alloy steel (o/than silicon elect./tool), width less th/600mm, hot-rolled flat-rolled products, w/thickness of 4.75 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7226.91.70</u>	<u>Alloy steel (o/than silicon elect./tool), width 300mm+ but less th/600mm, hot-rolled flat-rolled products, w/thickness less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7226.91.80</u>	<u>Alloy steel (o/than silicon elect./tool), width less th/300mm, hot-rolled flat-rolled products, w/thickness less than 4.75 mm</u>	<u>25%</u>	<u>2024</u>
<u>7226.92.10</u>	<u>Alloy tool steel (o/than hi-speed), width 300mm+ but less th/600mm, cold-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.92.30</u>	<u>Alloy tool steel (o/than hi-speed), width less th/300mm, cold-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.92.50</u>	<u>Alloy steel (o/than tool), width 300mm+ but less th/600mm, cold-rolled flat-rolled products</u>	<u>25%</u>	<u>2024</u>
<u>7226.92.70</u>	<u>Alloy steel (o/than tool), width less th/300mm, cold-rolled flat-rolled products, w/thickness n/o 0.25 mm</u>	<u>25%</u>	<u>2024</u>
<u>7226.92.80</u>	<u>Alloy steel (o/than tool), width less th/300mm, cold-rolled flat-rolled products, w/thickness o/0.25 mm</u>	<u>25%</u>	<u>2024</u>

<u>7226.99.01</u>	<u>Alloy steel, width less than 600mm, flat-rolled products further worked than cold-rolled, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7227.10.00</u>	<u>Alloy high-speed steel, bars and rods in irregularly wound coils, hmot-rolled</u>	<u>25%</u>	<u>2024</u>
<u>7227.20.00</u>	<u>Alloy silico-manganese steel, bars and rods in irregularly wound coils, hot-rolled</u>	<u>25%</u>	<u>2024</u>
<u>7227.90.10</u>	<u>Alloy tool steel (o/than hi-speed), bars & rods in irregular wound coils, hot-rolled, n/tempered, treated or partly manufactured</u>	<u>25%</u>	<u>2024</u>
<u>7227.90.20</u>	<u>Alloy tool steel (o/than hi-speed), bars and rods in irregularly wound coils, hot-rolled, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7227.90.60</u>	<u>Alloy steel (o/than hi-speed/silico-mang./tool) steel, bars and rods in irregularly wound coils, hot-rolled</u>	<u>25%</u>	<u>2024</u>
<u>7228.20.10</u>	<u>Alloy silico-manganese steel, bars and rods, not cold-formed, o/than hot-rolled and in irregularly wound coils</u>	<u>25%</u>	<u>2024</u>
<u>7228.20.50</u>	<u>Alloy silico-manganese steel, bars and rods, cold formed, o/than hot-rolled and in irregularly wound coils</u>	<u>25%</u>	<u>2024</u>
<u>7228.30.40</u>	<u>Alloy chipper knife tool steel, bars and rods, not cold-formed & not further worked than hot-rolled, hot-drawn or extruded</u>	<u>25%</u>	<u>2024</u>
<u>7228.30.60</u>	<u>Alloy tool steel (o/than ball-bearing/chipper knife), bars and rods, not further worked than hot-rolled, hot-drawn or extruded</u>	<u>25%</u>	<u>2024</u>
<u>7228.30.80</u>	<u>Alloy steel (o/than hi-speed, silico-mang./tool), bars and rods, not further worked than hot-rolled, hot-drawn or extruded</u>	<u>25%</u>	<u>2024</u>

<u>7228.40.00</u>	<u>Alloy steel, bars and rods, not further worked than forged</u>	<u>25%</u>	<u>2024</u>
<u>7228.50.10</u>	<u>Alloy tool steel (o/than hi-speed), bars and rods, not further worked than cold-formed or cold-finished</u>	<u>25%</u>	<u>2024</u>
<u>7228.50.50</u>	<u>Alloy steel (o/than tool), bars and rods, not further worked than cold-formed or cold-finished</u>	<u>25%</u>	<u>2024</u>
<u>7228.60.10</u>	<u>Alloy tool steel (o/than hi-speed), bars and rods, further worked than hot-rolled, forged, cold-formed or cold-finished</u>	<u>25%</u>	<u>2024</u>
<u>7228.60.60</u>	<u>Alloy steel (o/than tool), bars and rods, further worked than hot-rolled, forged but not cold-formed</u>	<u>25%</u>	<u>2024</u>
<u>7228.60.80</u>	<u>Alloy steel (o/than tool), bars and rods, cold-formed</u>	<u>25%</u>	<u>2024</u>
<u>7228.70.30</u>	<u>Alloy steel, angles, shapes and sections, hot-rolled & not drilled/not punched and not otherwise advanced</u>	<u>25%</u>	<u>2024</u>
<u>7228.70.60</u>	<u>Alloy steel, angles, shapes and sections, o/than hot-rolled & not drilled/punched and not otherwise advanced</u>	<u>25%</u>	<u>2024</u>
<u>7229.20.00</u>	<u>Alloy silico-manganese steel, wire</u>	<u>25%</u>	<u>2024</u>
<u>7229.90.10</u>	<u>Alloy steel (o/than hi-speed/silico-mang.), flat wire</u>	<u>25%</u>	<u>2024</u>
<u>7229.90.50</u>	<u>Alloy steel (o/than hi-speed/silico-mang.), round wire</u>	<u>25%</u>	<u>2024</u>
<u>7229.90.90</u>	<u>Alloy steel (o/than hi-speed/silico-mang.), wire (o/than flat or round wire)</u>	<u>25%</u>	<u>2024</u>
<u>7301.10.00</u>	<u>Iron or steel sheet piling, whether or not drilled, punched or made from assembled elements</u>	<u>25%</u>	<u>2024</u>
<u>7302.10.10</u>	<u>Iron or nonalloy steel, rails for railway or tramway tracks</u>	<u>25%</u>	<u>2024</u>

<u>7302.10.50</u>	<u>Alloy steel, rails for railway or tramway tracks</u>	<u>25%</u>	<u>2024</u>
<u>7302.40.00</u>	<u>Iron or steel, fish plates and sole plates for jointing or fixing rails</u>	<u>25%</u>	<u>2024</u>
<u>7302.90.10</u>	<u>Sleepers (cross-ties) for railway or tramway track construction of iron or steel</u>	<u>25%</u>	<u>2024</u>
<u>7302.90.90</u>	<u>Railway or tramway track construction material and other materials specialized for joining or fixing rails, of iron or steel, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7304.11.00</u>	<u>Stainless steel, seamless line pipe used for oil or gas pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7304.19.10</u>	<u>Iron (o/than cast) or nonalloy steel, seamless line pipe used for oil and gas pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7304.19.50</u>	<u>Alloy (other than stainless) steel, seamless line pipe used for oil or gas pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7304.22.00</u>	<u>Stainless steel, seamless drill pipe, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.23.30</u>	<u>Iron (o/than cast) or nonalloy steel, seamless drill pipe, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.23.60</u>	<u>Alloy (other than stainless) steel, seamless drill pipe, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.24.30</u>	<u>Stainless steel, seamless casing pipe, threaded or coupled, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.24.40</u>	<u>Stainless steel, seamless casing pipe, not threaded or coupled, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.24.60</u>	<u>Stainless steel, seamless tubing, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>

<u>7304.29.10</u>	<u>Iron (o/than cast) or nonalloy steel, seamless casing pipe, threaded or coupled, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.29.20</u>	<u>Iron (o/than cast) or nonalloy steel, seamless casing pipe, not threaded or coupled, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.29.31</u>	<u>Alloy (other than stainless) steel, seamless casing pipe, threaded or coupled, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.29.41</u>	<u>Alloy (other than stainless) steel, seamless casing pipe, not threaded or coupled, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.29.50</u>	<u>Iron (o/than cast) or nonalloy, seamless tubing, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.29.61</u>	<u>Alloy (other than stainless) steel, seamless tubing, of a kind used in drilling for oil or gas</u>	<u>25%</u>	<u>2024</u>
<u>7304.31.30</u>	<u>Iron (o/than cast) or nonalloy steel, seamless, cold-drawn or cold-rolled, hollow bars w/circular cross section</u>	<u>25%</u>	<u>2024</u>
<u>7304.31.60</u>	<u>Iron (o/than cast) or nonalloy steel, seamless, cold-drawn or cold-rolled, tubes, pipes & hollow profiles, w/circular cross section, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7304.39.00</u>	<u>Iron (o/than cast) or nonalloy steel, seamless, not cold-drawn or cold-rolled, tubes, pipes and hollow prof., w/circular cross sect., nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7304.49.00</u>	<u>Stainless steel, seamless, not cold-drawn/cold-rolled, tubes, pipes and hollow profiles, w/circular cross section</u>	<u>25%</u>	<u>2024</u>

<u>7304.51.10</u>	<u>Alloy steel (o/than stainless), seamless, cold-drawn/cold-rolled, tubes, pipes, etc., w/circ. cross sect., for mfr of ball/roller bearings</u>	<u>25%</u>	<u>2024</u>
<u>7304.51.50</u>	<u>Alloy steel (o/than stainless), seamless, cold-drawn/cold-rolled, tubes, pipes and hollow profiles, w/circular cross section, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7304.59.10</u>	<u>Alloy steel (o/than stainless), seamless, n/cold-drawn/cold-rolled, tubes, pipes, etc. w/circ. cross sect., for mfr ball/roller bearings</u>	<u>25%</u>	<u>2024</u>
<u>7304.59.20</u>	<u>Alloy steel (o/than stainless), seamless, n/cold-drawn/cold-rolled, tubes, pipes, etc. w/circ. cross sect., for boilers, heaters, etc</u>	<u>25%</u>	<u>2024</u>
<u>7304.59.60</u>	<u>Heat-resisting alloy steel (o/than stainless), seamless, n/cold-drawn/cold-rolled, tubes, pipes, etc., w/circ. cross sect., nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7304.59.80</u>	<u>Alloy steel (o/than heat-resist or stainless), seamless, n/cold-drawn/cold-rolled, tubes, pipes and hollow prof., w/circ. cross sect., nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7304.90.10</u>	<u>Iron (o/than cast) or nonalloy steel, seamless, tubes, pipes and hollow profiles, o/than circ. cross sect., w/wall thickness of 4 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7304.90.70</u>	<u>Alloy steel (o/than stainless), seamless, tubes, pipes and hollow profiles, o/than circ. cross sect., w/wall thickness less than 4 mm</u>	<u>25%</u>	<u>2024</u>
<u>7305.11.10</u>	<u>Iron or nonalloy steel, seamed, w/circ. cross sect. & ext. diam o/406.4mm, line pipe, long. submerg. arc weld., used for oil/gas</u>	<u>25%</u>	<u>2024</u>

<u>7305.11.50</u>	<u>Alloy steel, seamed, circ. w/cross sect. & ext. diam o/406.4mm, line pipe, long. submerg. arc weld., used for oil/gas pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7305.12.10</u>	<u>Iron or nonalloy steel, seamed, w/circ. cross sect. & ext. diam o/406.4mm, line pipe, long. welded nesoi, used for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7305.12.50</u>	<u>Alloy steel, seamed, w/circ. cross sect. & ext. diam o/406.4mm, line pipe, long. welded nesoi, used for oil/gas pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7305.19.10</u>	<u>Iron or nonalloy steel, seamed, w/circ. cross sect. & ext. diam o/406.4mm, line pipe, not long. welded, used for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7305.19.50</u>	<u>Alloy steel, seamed, w/circ. cross sect. & ext. diam o/406.4mm, line pipe, not long. welded, used for oil/gas pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7305.20.20</u>	<u>Iron or nonalloy steel, seamed, w/circ. cross sect. & ext. diam. o/406.4mm, casing pipe, threaded/coupled, of kind for drilling for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7305.20.40</u>	<u>Iron or nonalloy steel, seamed, w/circ. cross sect. & ext. diam. o/406.4mm, casing pipe, n/threaded/coupled, of kind for drill. for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7305.20.60</u>	<u>Alloy steel, seamed, w/circ. cross sect. & ext. diam. o/406.4mm, casing pipe, threaded/coupled, of kind for drilling for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7305.20.80</u>	<u>Alloy steel, seamed, w/circ. cross sect. & ext. diam. o/406.4mm, casing pipe, n/threaded/coupled, of kind for drilling for oil/gas</u>	<u>25%</u>	<u>2024</u>

<u>7305.31.20</u>	<u>Steel, long. welded, w/circ. cross sect & ext. diam o/406.4mm, tapered pipes and tubes principally used as pts of illuminating arts.</u>	<u>25%</u>	<u>2024</u>
<u>7305.31.40</u>	<u>Iron or nonalloy steel, long. welded, w/circ. cross sect. & ext. diam. o/406.4mm, tubes and pipes, o/th used in oil/gas drill.etc</u>	<u>25%</u>	<u>2024</u>
<u>7305.31.60</u>	<u>Alloy steel, long. welded, w/circ. cross sect. & ext. diam. o/406.4mm, tubes and pipes, o/than used in oil/gas drill. or pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7305.39.10</u>	<u>Iron or nonalloy steel, weld. o/than long. weld., w/circ. x-sect. & ext. diam. o/406.4mm, tubes and pipes, o/th used in oil/gas drill.etc</u>	<u>25%</u>	<u>2024</u>
<u>7305.39.50</u>	<u>Alloy steel, weld. o/than long. weld., w/circ. x-sect. & ext. diam. o/406.4mm, tubes and pipes, o/than used in oil/gas drill. or pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7305.90.10</u>	<u>Iron or nonalloy steel, seamed, w/circ. cross sect. & ext. diam. o/406.4mm, not welded, tubes and pipes, o/th used in oil/gas drill.etc</u>	<u>25%</u>	<u>2024</u>
<u>7305.90.50</u>	<u>Alloy steel, seamed, w/circ. cross sect. & ext. diam. o/406.4mm, not welded, tubes and pipes, o/than used in oil/gas drill. or pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7306.11.00</u>	<u>Welded stainless steel, w/ext. diam 406.4mm or less or o/than circ. x-sect, line pipe of a kind used for oil and gas pipelines</u>	<u>25%</u>	<u>2024</u>
<u>7306.19.10</u>	<u>Iron or nonalloy steel, seamed, w/ext. diam. 406.4mm or less or o/than circ. x-sect, line pipe of a kind used for oil and gas pipelines</u>	<u>25%</u>	<u>2024</u>

<u>7306.19.51</u>	<u>Alloy steel, seamed (o/than welded stainless steel), w/ext. diam 406.4mm or less or o/than circ. x-sect, line pipe of a kind used for oil an</u>	<u>25%</u>	<u>2024</u>
<u>7306.21.30</u>	<u>Welded stainless steel, w/ext. diam 406.4mm or less or o/than circ. x-sect, threaded/coupled, casing of kind used in drilling for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7306.21.40</u>	<u>Welded stainless steel, w/ext. diam 406.4mm or less or o/than circ. x-sect, n/threaded/coupled, casing of kind used in drilling for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7306.21.80</u>	<u>Welded stainless steel, w/ext. diam 406.4mm or less or o/than circ. x-sect, tubing of a kind used for drilling for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7306.29.10</u>	<u>Iron or nonalloy steel, seamed, w/ext. diam 406.4mm or less or o/than circ. x-sect, threaded/coupled, casing of kind used in drill. oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7306.29.20</u>	<u>Iron or nonalloy steel, seamed, w/ext. diam 406.4mm or less or o/than circ. x-sect, n/threaded/coupled, casing kind used drill for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7306.29.31</u>	<u>Alloy steel, seamed (o/than welded stainless steel), w/ext. diam 406.4mm or less or o/than circ. x-sect, threaded/coupled, casing of kind us</u>	<u>25%</u>	<u>2024</u>
<u>7306.29.41</u>	<u>Alloy steel, seamed (o/than welded stainless steel), w/ext. diam 406.4mm or less or o/than circ. x-sect, n/threaded/coupled, casing of kind</u>	<u>25%</u>	<u>2024</u>

<u>7306.29.60</u>	<u>Iron or nonalloy steel, seamed, w/ext. diam. 406.4mm or less or o/than circ. x-sect, tubing of a kind used for drilling for oil/gas</u>	<u>25%</u>	<u>2024</u>
<u>7306.29.81</u>	<u>Alloy steel, seamed (o/than welded stainless steel), w/ext. diam 406.4mm or less or o/than circ. x-sect, tubing of a kind used for drilling</u>	<u>25%</u>	<u>2024</u>
<u>7306.30.10</u>	<u>Iron or nonalloy steel, welded, w/circ. x-sect & ext. diam. 406.4mm or less, tubes, pipes, hollow profiles, w/wall thick. less than 1.65 mm</u>	<u>25%</u>	<u>2024</u>
<u>7306.30.30</u>	<u>Nonalloy steel, welded, w/circ. x-sect & ext. diam. 406.4mm or less, tapered pipes & tubes, w/wall thick. of 1.65 mm+, pts. of illum. arts.</u>	<u>25%</u>	<u>2024</u>
<u>7306.30.50</u>	<u>Iron or nonalloy steel, welded, w/circ. x-sect & ext. diam. 406.4mm or less, pipes, tubes & holl. prof., w/wall thick. of 1.65 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7306.40.10</u>	<u>Stainless steel, welded, w/circ. x-sect & ext. diam. 406.4mm or less, tubes, pipes, hollow profiles, w/wall thick. less than 1.65 mm</u>	<u>25%</u>	<u>2024</u>
<u>7306.40.50</u>	<u>Stainless steel, welded, w/circ. x-sect & ext. diam. 406.4mm or less, tubes, pipes, hollow profiles, w/wall thick. of 1.65 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7306.50.10</u>	<u>Alloy steel (o/stainless), welded, w/circ. x-sect & ext. diam. 406.4mm or less, tubes, pipes, hollow prof., w/wall thick. less th/1.65 mm</u>	<u>25%</u>	<u>2024</u>
<u>7306.50.30</u>	<u>Alloy steel (o/stainless), welded, w/circ. x-sect & ext. diam. 406.4mm or less, tapered pipes & tubes, w/wall thick. of 1.65 mm+, pts. illum</u>	<u>25%</u>	<u>2024</u>

<u>7306.50.50</u>	<u>Alloy steel (o/stainless), welded, w/circ. x-sect & ext. diam. 406.4mm or less, tubes, pipes, hollow prof., w/wall thick. of 1.65 mm+</u>	<u>25%</u>	<u>2024</u>
<u>7306.61.10</u>	<u>Iron or nonalloy steel, welded, w/square or rectangular x-sect, tubes, pipes and hollow profiles, w/wall thickness of 4 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7306.61.30</u>	<u>Alloy steel, welded, w/square or rectangular x-sect, tubes, pipes and hollow profiles, w/wall thickness of 4 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7306.61.50</u>	<u>Iron or nonalloy steel, welded, w/square or rectangular x-sect, tubes, pipes and hollow profiles, w/wall thickness less than 4 mm</u>	<u>25%</u>	<u>2024</u>
<u>7306.61.70</u>	<u>Alloy steel, welded, w/square or rectangular x-sect, tubes, pipes and hollow profiles, w/wall thickness less than 4 mm</u>	<u>25%</u>	<u>2024</u>
<u>7306.69.10</u>	<u>Iron or nonalloy steel, welded, w/other non-circ. x-sect, tubes, pipes and hollow profiles, w/wall thickness of 4 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7306.69.30</u>	<u>Alloy steel, welded, w/other non-circ. x-sect, tubes, pipes and hollow profiles, w/wall thickness of 4 mm or more</u>	<u>25%</u>	<u>2024</u>
<u>7306.69.70</u>	<u>Alloy steel, welded, w/other non-circ. x-sect, tubes, pipes and hollow profiles, w/wall thickness less than 4 mm</u>	<u>25%</u>	<u>2024</u>
<u>7306.90.10</u>	<u>Iron or nonalloy steel, seamed o/welded, w/non-circ. x-sect. or circ. x-sect. w/ext. diam. 406.4mm or less, tubes, pipes & hollow profiles</u>	<u>25%</u>	<u>2024</u>

<u>7306.90.50</u>	<u>Alloy steel, seamed o/than welded, w/non-circ. x-sect or circ. x-sect w/ext. diam. 406.4mm or less, tubes, pipes and hollow profiles</u>	<u>25%</u>	<u>2024</u>
<u>7601.10.30</u>	<u>Aluminum (o/than alloy), unwrought, in coils, w/uniform x-section throughout length & w/least cross-sectional dimension n/o 9.5 mm</u>	<u>25%</u>	<u>2024</u>
<u>7601.10.60</u>	<u>Aluminum (o/than alloy), unwrought nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7601.20.30</u>	<u>Aluminum alloys, unwrought, in coils, w/uniform x-section throughout length & w/least cross-sectional dimension n/o 9.5 mm</u>	<u>25%</u>	<u>2024</u>
<u>7601.20.60</u>	<u>Aluminum alloys, w/25% or more by weight of silicon, unwrought nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7601.20.90</u>	<u>Aluminum alloys nesoi, unwrought nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7604.10.10</u>	<u>Aluminum (o/than alloy), profiles</u>	<u>25%</u>	<u>2024</u>
<u>7604.10.30</u>	<u>Aluminum (o/than alloy), bar and rods, with a round cross section</u>	<u>25%</u>	<u>2024</u>
<u>7604.10.50</u>	<u>Aluminum (o/than alloy), bar and rods, other than with a round cross section</u>	<u>25%</u>	<u>2024</u>
<u>7604.21.00</u>	<u>Aluminum alloy, hollow profiles</u>	<u>25%</u>	<u>2024</u>
<u>7604.29.10</u>	<u>Aluminum alloy, profiles (o/than hollow profiles)</u>	<u>25%</u>	<u>2024</u>
<u>7604.29.30</u>	<u>Aluminum alloy, bars and rods, having a round cross section</u>	<u>25%</u>	<u>2024</u>
<u>7604.29.50</u>	<u>Aluminum alloy, bars and rods, other than with a round cross section</u>	<u>25%</u>	<u>2024</u>
<u>7605.11.00</u>	<u>Aluminum (o/than alloy), wire, with a maximum cross-sectional dimension over 7 mm</u>	<u>25%</u>	<u>2024</u>

7605.19.00	Aluminum (o/than alloy), wire, with a maximum cross-sectional dimension of 7 mm or less	25%	2024
7605.21.00	Aluminum alloy, wire, with a maximum cross-sectional dimension over 7 mm	25%	2024
7605.29.00	Aluminum alloy, wire, with a maximum cross-sectional dimension of 7 mm or less	25%	2024
7606.11.30	Aluminum (o/than alloy), plates/sheets/strip, w/thick. o/0.2mm, rectangular (incl. sq), not clad	25%	2024
7606.11.60	Aluminum (o/than alloy), plates/sheets/strip, w/thick. o/0.2mm, rectangular (incl. sq), clad	25%	2024
7606.12.30	Aluminum alloy, plates/sheets/strip, w/thick. o/0.2mm, rectangular (incl. sq), not clad	25%	2024
7606.12.60	Aluminum alloy, plates/sheets/strip, w/thick. o/0.2mm, rectangular (incl. sq), clad	25%	2024
7606.91.30	Aluminum (o/than alloy), plates/sheets/strip, w/thick. o/0.2mm, o/than rectangular (incl. sq), not clad	25%	2024
7606.91.60	Aluminum (o/than alloy), plates/sheets/strip, w/thick. o/0.2mm, o/than rectangular (incl. sq), clad	25%	2024
7606.92.30	Aluminum alloy, plates/sheets/strip, w/thick. o/0.2mm, o/than rectangular (incl. sq), not clad	25%	2024
7606.92.60	Aluminum alloy, plates/sheets/strip, w/thick. o/0.2mm, o/than rectangular (incl. sq), clad	25%	2024
7607.11.30	Aluminum, foil, w/thickness n/o 0.01 mm, rolled but not further worked, not backed	25%	2024

<u>7607.11.60</u>	<u>Aluminum, foil, w/thickness over 0.01 mm but n/o 0.15 mm, rolled but not further worked, not backed</u>	<u>25%</u>	<u>2024</u>
<u>7607.11.90</u>	<u>Aluminum, foil, w/thickness over 0.15 mm but n/o 0.2 mm, rolled but not further worked, not backed</u>	<u>25%</u>	<u>2024</u>
<u>7607.19.60</u>	<u>Aluminum, foil nesoi, w/thickness o/0.15mm but n/o 0.2 mm or 0.15mm or less & not cut to shape, not rolled, not backed, nesoi</u>	<u>25%</u>	<u>2024</u>
<u>7607.20.10</u>	<u>Aluminum, foil, w/thickness n/o 0.2 mm, backed, covered or decorated with a character, design, fancy effect or pattern</u>	<u>25%</u>	<u>2024</u>
<u>7608.10.00</u>	<u>Aluminum (o/than alloy), tubes and pipes</u>	<u>25%</u>	<u>2024</u>
<u>7608.20.00</u>	<u>Aluminum alloy, tubes and pipes</u>	<u>25%</u>	<u>2024</u>
<u>7609.00.00</u>	<u>Aluminum, fittings for tubes and pipes</u>	<u>25%</u>	<u>2024</u>
<u>7901.11.00</u>	<u>Zinc (o/than alloy), unwrought, containing o/99.99% by weight of zinc</u>	<u>25%</u>	<u>2024</u>
<u>7901.12.10</u>	<u>Zinc (o/than alloy), unwrought, casting-grade zinc, containing at least 97.5% but less than 99.99% by weight of zinc</u>	<u>25%</u>	<u>2024</u>
<u>7901.12.50</u>	<u>Zinc (o/than alloy), unwrought, o/than casting-grade zinc, containing at least 97.5% but less than 99.99% by wt. of zinc</u>	<u>25%</u>	<u>2024</u>
<u>7901.20.00</u>	<u>Zinc alloy, unwrought</u>	<u>25%</u>	<u>2024</u>
<u>8001.10.00</u>	<u>Tin (o/than alloy), unwrought</u>	<u>25%</u>	<u>2024</u>
<u>8001.20.00</u>	<u>Tin alloy, unwrought</u>	<u>25%</u>	<u>2024</u>
<u>8101.10.00</u>	<u>Tungsten, powders</u>	<u>25%</u>	<u>2024</u>
<u>8103.20.00</u>	<u>Tantalum, unwrought (including bars and rods obtained simply by sintering); tantalum powders</u>	<u>25%</u>	<u>2024</u>

<u>8112.21.00</u>	<u>Chromium, unwrought; chromium powders</u>	<u>25%</u>	<u>2024</u>
<u>8112.92.30</u>	<u>Indium, unwrought; indium powders</u>	<u>25%</u>	<u>2024</u>
<u>8507.60.0010</u>	<u>Lithium-ion batteries of a kind used as the primary source of electrical power for electrically powered vehicles of subheadings 870340, 870350, 870360, 870370 or 870380</u>	<u>25%</u>	<u>2024</u>
<u>8507.90.40</u>	<u>Parts of lead-acid storage batteries, including separators therefor</u>	<u>25%</u>	<u>2024</u>
<u>8541.42.00</u>	<u>Photovoltaic cells, not assembled in modules or made up into panels</u>	<u>50%</u>	<u>2024</u>
<u>8541.43.00</u>	<u>Photovoltaic cells assembled in modules or made up into panels</u>	<u>50%</u>	<u>2024</u>
<u>8702.40.31</u>	<u>Motor vehicles w/electric motor, to transport 16 or more persons, incl driver</u>	<u>100%</u>	<u>2024</u>
<u>8702.40.61</u>	<u>Motor vehicles w/electric motor, to transport 10 to 15 persons, incl driver</u>	<u>100%</u>	<u>2024</u>
<u>8702.90.31</u>	<u>Motor vehicles nesoi, to transport 16 or more persons, incl driver</u>	<u>100%</u>	<u>2024</u>
<u>8702.90.61</u>	<u>Motor vehicles nesoi, to transport 10 to 15 persons, incl driver</u>	<u>100%</u>	<u>2024</u>
<u>8703.60.00</u>	<u>Motor vehicles to transport persons, w/spark-ign. IC recip. piston engine & elec motor capable of charge by plug to external source</u>	<u>100%</u>	<u>2024</u>
<u>8703.70.00</u>	<u>Motor vehicles to transport persons, w/diesel engine & elec motor capable of charge by plug to external source</u>	<u>100%</u>	<u>2024</u>
<u>8703.80.00</u>	<u>Motor vehicles to transport persons, w/electric motor for propulsion</u>	<u>100%</u>	<u>2024</u>
<u>8703.90.01</u>	<u>Motor vehicles to transport persons, nesoi</u>	<u>100%</u>	<u>2024</u>

9018.31.00	<u>Syringes, with or without their needles; parts and accessories thereof</u>	50%	2024
9018.32.00	<u>Tubular metal needles and needles for sutures, used in medical, surgical, dental or veterinary sciences, and parts and accessories thereof</u>	50%	2024
-	<u>Ship-to-shore gantry cranes, configured as a high- or low-profile steel superstructure and designed to unload intermodal containers from vessels with coupling devices for containers, including spreaders or twist-locks (classified in subheading 8426.19.00)</u>	25%	2024